

S5	7096	((selecti\$4 or adapt\$5 or program\$5 or appl\$6) near4 (drive or voltage or level))with (latenc\$3 or delay)	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 09:53
S6	5	((selecti\$4 or adapt\$5 or program\$5 or appl\$6) near4 (drive or voltage or level))with (CAS adj(latenc\$3 or delay))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 09:58
S7	1	((selecti\$4 or adapt\$5 or program\$5 or appl\$4) near4 (drive or voltage or level))with (CAS adj(latenc\$3 or delay))	USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/19 09:57
S8	1	S5 same (multi\$level adj signal\$4)	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 09:59
S9	20	S5 and (multi\$level adj signal\$4)	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 10:05
S10	12	S9 and (boot\$4 or initiali\$6)	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 10:00
S11	22627	"711"/\$.ccls.	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 10:05
S12	303	S11 and (CAS adj (latenc\$3 or delay))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 10:06
S13	0	S12 and ((standardi\$5 or optimiz\$5)near4 (CAS adj (latenc\$3 or delay)))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 10:07
S14	303	S12 and ((CAS adj (latenc\$3 or delay)))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 10:07
S15	73	S12 and ((multi\$level or select\$4 or program\$5 or adjust\$4)near4 (drive or level or voltage))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 10:09
S16	27	S15 and (dimm or (memory adj module))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 10:09
S17	0	(spd or ((serial adj presence)adj2 detect\$4))with ((case adj latenc\$3)near4 (select\$4 or optimiz\$4 or standadi\$4))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/19 11:56

S18	0	(spd or ((serial adj presence)adj2 detect\$4))and ((case adj latenc\$3)same (select\$4 or optimiz\$4 or standadi\$4))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/19 11:58
S19	2	(spd or ((serial adj presence)adj2 detect\$4))with (((cas adj latenc\$3)near4 (select\$4 or optimiz\$4 or standadi\$4))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/19 11:56
S20	2	(spd or ((serial adj presence)adj2 detect\$4))with (((ras or cas) adj latenc\$3)near4 (select\$4 or optimiz\$4 or standadi\$4))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/19 11:56
S21	4	(spd or ((serial adj presence)adj2 detect\$4))same ((cas adj latenc\$3)same (select\$4 or optimiz\$4 or standadi\$4))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/19 12:04
S22	32	(spd or ((serial adj presence)adj2 detect\$4))and ((cas adj latenc\$3)same (select\$4 or optimiz\$4 or standadi\$4))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/19 11:58
S23	3	S22 and (multi\$level near4 (switch\$4 or chang\$4 or level\$4 or signal\$4 or driv\$4))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/19 12:07
S24	150	((memory adj module)or dimm)near6 (CAS or latency))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/22 07:03
S25	150	((memory adj module)or dimm)near6 (CAS or latency))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/22 07:03
S26	15	((memory adj module)or dimm)near6 (CAS or latency))	USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/22 07:28
S27	1	"6445624".pn.	USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/22 07:29
S28	1	"6724666".pn.	USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/22 07:30

S29	25038	"365"/\$.ccls.	USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/22 07:31
S30	0	S29 and ((memory adj modeule)same latency)	USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/22 07:32
S31	0	S29 and (memory adj modeule)	USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/22 07:31
S32	48461	"365"/\$.ccls.	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 07:31
S33	0	S32 and ((memory adj modeule)same latency)	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 07:32
S34	65	S32 and ((memory adj module)same latency)	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 07:32
S35	0	S29 and ((memory adj module)same latency)	USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/22 07:32
S36	44	S32 and ((equali\$5 or equaliz\$5 or optimiz\$4 or standardi\$5)near4 latency)	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 07:34
S37	48	S32 and ((equali\$5 or equaliz\$5 or optimiz\$4 or standardi\$5)near4 latenc\$3)	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 08:25
S38	1046	S32 and (((multi\$level or (multi\$4 or plural\$4)near3 level))with (signal\$4 or switch\$4))	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 07:35
S39	1	S37 and (((multi\$level or (multi\$4 or plural\$4)near3 level))with (signal\$4 or switch\$4))	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 07:37
S40	1	S38 and ((equali\$5 or equaliz\$5 or optimiz\$4 or standardi\$5)near4 latenc\$3)	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 07:38
S41	0	output\$level with latenc\$3	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 07:38

S42	25	(voltage adj level) with latenc\$3	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 07:48
S43	15	spd with latenc\$3	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 07:57
S44	3	spd with latenc\$3	EPO; JPO; DERWENT	OR	OFF	2004/11/22 07:57
S45	1	((different or various or three or multiple or plurali\$3)adj S25 volage)same ((select\$5 or adapt\$5 or multiplex\$4)adj2 (cas or ras or latenc\$3))	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 08:28
S46	58	((different or various or three or multiple or plurali\$3)adj S25 volage)same ((select\$5 or adapt\$5 or multiplex\$4)adj2 (cas or ras or latenc\$3))	US-PGPUB ; USPAT; USOCR; IBM_TDB	OR	OFF	2004/11/22 08:29

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6233665".pn.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 07:33
L2	2	"6223301".pn.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 07:35
L3	2	"6098132".pn.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 07:36
L4	3	"6564287"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 07:41
L5	2	"6141279".pn.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 07:45
L6	2	"5378102".pn.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 07:46
L7	2	"6378102".pn.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 07:56
L8	1	ternary near3 (memory adj module)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 07:56

L9	1	ternary near5 (memory adj module)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 07:57
L10	2	ternary with (memory adj module)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 07:58
L11	2	ternary with (latenc\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 08:00
L12	11	ternary and (cas adj latenc\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 08:04
L13	100	((three ot tri or ternary or trio)near3 (voltage or level\$1))with (latenc\$3 or cas or ras)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 08:09
L14	4	l13 and (memory adj module)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 08:07

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	22207	"713"/\$.ccls.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:23
L3	570	I2 and (memory adj module)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:23
L4	27	I3 and ((latenc\$3 or CAS or RAS)near5 (select\$4 or assign\$4 or configur\$5))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:25
L5	27	I3 and ((latenc\$3 or CAS or RAS)near5 (select\$4 or assign\$4 or configur\$5))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:34
L6	63	I3 and (multi\$level or ((plural\$4 or three)near3 (voltage or level))))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:27
L7	4	I4 and (multi\$level or ((plural\$4 or three)near3 (voltage or level))))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:27
L8	4894	((latenc\$3 or CAS)near5 (select\$4 or assign\$4 or configur\$5))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:35
L9	4	I8 same ((mutlilevel or plural\$4 or three)near4 (voltage or level))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:49

L10	15	I8 same ((mutlilevel or plural\$4 or three)with (voltage or level))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:44
L11	2	"6141279".pn.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:44
L12	2	I8 same (spd adj device)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:50
L13	3	I8 and (spd adj device)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:51
L14	2	I8 same ((spd adj device)or (module adj controller))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/23 15:50
S1	76	((memory adj module)or dimm)near6 (CAS or latency))same (set\$4 or select\$4 or switch\$4 or toggI\$4 or determin\$7 or desir\$4 or adjust\$4)	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 09:30
S2	5	((memory adj module)or dimm)near6 (CAS or latency))same (set\$4 or select\$4 or switch\$4 or toggI\$4 or determin\$7 or desir\$4 or adjust\$4)	EPO; JPO; DERWENT	OR	OFF	2004/11/19 08:19
S3	8	((memory adj module)or dimm)near6 (CAS or latency))with (standardi\$6 or optimiz\$7 or equal\$6)	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/19 09:50
S4	1	((memory adj module)or dimm)near6 (CAS or latency))with (standardi\$6 or optimiz\$7 or equal\$6)	USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/19 09:31